Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Journal of Organometallic Chemistry 687 (2003) 587–590
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Contents of Volume 687

Regular Papers

The reactions of dialkyl and diarylethoxysilanes with T_6 silsesquioxane cages: X-ray crystallographic studies of the mono-T_6D_1 and bis-T_6D_2 insertion ring expansion products
A.R. Bassindale, Z. Liu, D.J. Parker, P.G. Taylor, P.N. Horton, M.B. Hursthouse, M.E. Light 1

Ruthenium-catalyzed carbon–carbon formation to synthesize tetraarylethanes and tetraarylxylylene through dechlorinative dimeric reaction
Y. Li, T. Kijima, T. Izumi 12

Reactions of *N*-(2-thienylmethylidene)-2-thienylmethylamine derivatives with diiron nonacarbonyl: characterization and structures of cyclometallated diiron complexes $Fe_2(CO)_6(RC_4HSCH_2NCH_2C_4H_3S)$ and linear tetrairon clusters $Fe_4(CO)_{10}(RC_4HSCHNCH_2C_4H_3S)_2$
Y.-F. Tzeng, C.-Y. Wu, W.-S. Hwang, C.-H. Hung 16

Effect of polyborazine additive on thermolysis of polyphenylsilane and polyvinylsilane
L.-Y. Hong, F. Cao, D.-J. Kim, H.-G. Woo, B.-H. Kim, M.-S. Cho, X.-D. Li, D.-P. Kim 27

X-ray crystallographic study of some pentacoordinated organogermanium compounds
Y. Takeuchi, L. Párkányi, A. Kálmán, M. Nishikawa, K. Tanaka, W. Mori, M. Kinoshita 33

Insertion of Pt into CH and CS bonds of thiophene derivatives. The X-ray crystal structure of a thiaplatinacycle of 3,6-dimethylthieno[3,2-*b*] thiophene
J. Chantson, H. Görls, S. Lotz 39

Organotin compounds bearing mesogenic sidechains: synthesis, X-ray structures and polymerisation chemistry
P.R. Deacon, N. Devylder, M.S. Hill, M.F. Mahon, K.C. Molloy, G.J. Price 46

Mono- and binuclear bipyridyl derivatives of the $Mo(\eta^3\text{-}C_3H_5)(CO)_2$ fragment: structural studies and fluxionality in solution
P.M.F.J. Costa, M. Mora, M.J. Calhorda, V. Félix, P. Ferreira, M.G.B. Drew, H. Wadepohl 57

Cyclic organohydroborate complexes of metallocenes: VIII. Triphenylsiloxy derivatives of Group IV organometallic systems, $Cp_2M(OSiPh_3)X$ (M = Ti, Zr, Hf; X = Cl, $\{(\mu\text{-}H)_2BC_8H_{14}\}$)
F. Lacroix, C.E. Plecnik, S. Liu, F.-C. Liu, E.A. Meyers, S.G. Shore 69

Hydrogen-bonded networks from η^5-semiquinone complexes of manganese tricarbonyl
M. Oh, J.A. Reingold, G.B. Carpenter, D.A. Sweigart 78

Synthesis and characterisation of Pd(II) complexes with a derivative of aminoazobenzene: Dynamic ^{1}H-NMR study of cyclopalladation reactions in DMF
M. Ćurić, D. Babić, Ž. Marinić, L. Paša-Tolić, V. Butković, J. Plavec, L. Tušek-Božić 85

Electron transfer reactions of $(C_5R_5)_2(CO)_2Ti$ (R = H or Me) with TCNE or TCNQ: Spectroelectrochemical assignment of metal and ligand oxidation states in $[(C_5Me_5)_2(CO)Ti(TCNX)]^{2-/-/o/+}$
H. Hartmann, B. Sarkar, W. Kaim, J. Fiedler 100

Reactivity of 1-boraadamantanes towards bis(trialkylstannyl)ethynes. First examples of 3-boratricyclo[5.3.1.1^{3,9}]dodecanes, and the molecular structure of a tetraalkyldiboroxane
B. Wrackmeyer, E.V. Klimkina, W. Milius, Y.N. Bubnov 108

Phenylmercury(II) derivatives of tetraorganodichalcogenoimidodiphosphorus acids. Crystal and molecular structure of $[PhHg\{(OPR_2)(SPPh_2)N\}]_2$ (R = Me, Ph)
O. Bumbu, A. Silvestru, C. Silvestru, J.E. Drake, M.B. Hursthouse, M.E. Light 118

Quinolyl-functionalised Cp–chromium polymerisation catalysts: synthesis and crystal structures of alkylation products
M. Enders, P. Fernández, S. Mihan, H. Pritzkow 125

Elsevier B.V.
doi:10.1016/S0022-328X(03)01097-0

Ligand behaviour of P-functionally substituted organotin halides: palladium(II) and platinum(II) complexes with $Ph_2PCH_2CH_2SnCl_3$
M. Seibert, K. Merzweiler, C. Wagner, H. Weichmann . . . 131

Umsetzungen von ω-alkenylsubstituierten Zirconocendichloridkomplexen mit *n*-Alkyllithiumverbindungen in Gegenwart von Alkenen bzw. Alkinen
A.I. Licht, H.G. Alt . . . 142

Nickel(II) complexes of the type [RM(oxam)MR] (oxam: oxalamidinate, R = *n*-butyl, *n*-hexyl): the first binuclear *n*-alkyl nickel complexes
M. Stollenz, M. Rudolph, H. Görls, D. Walther . . . 153

Synthesis and characterization of Zr(IV) and Y(III) complexes with monocyclopentadienyl ligands containing an additional site tethered by a coordinating 2,6-pyridine bridge. X-ray crystal structures of the zirconium complexes
G. Paolucci, M. Vignola, L. Coletto, B. Pitteri, F. Benetollo . . . 161

Preparation and characterization of some structural variants of Cp*Ti(1,2-propandiolato) complexes
A. Snell, G. Kehr, O. Kataeva, R. Fröhlich, G. Erker . . . 171

Preparation and characterization of molybdenum and tungsten compounds with diazabutadiene ligands constructed from amino esters and glyoxal: Crystal structures of meso and C_2-symmetric isomers of $Mo(CO)_4$(dab-asp(OMe)-OMe)
R.S. Herrick, C.J. Ziegler, H. Bohan, M. Corey, M. Eskander, J. Giguere, N. McMicken, I.E. Wrona . . . 178

Novel unsymmetrical PCP′ pincer ligands and their palladium(II) complexes
M.R. Eberhard, S. Matsukawa, Y. Yamamoto, C.M. Jensen . . . 185

Novel pentacoordinate silicon compounds bearing [Si-N-C-N-C-N] chelate ring derived from biguanide ligands
P. Kumar, R. Shankar . . . 190

Stepwise addition of CuBr at $[(dtc)_2Mo_2(S)_2(\mu\text{-}S)_2]$ (dtc = diethyldithiocarbamate): syntheses and crystal structures of two Mo/Cu/S clusters $[(dtc)_2Mo_2(\mu_3\text{-}S)(\mu\text{-}S)_3(CuBr)]$ and $[(dtc)_2Mo_2(\mu_3\text{-}S)_4(CuBr)_2]$
Z.-H. Wei, Q.-F. Xu, H.-X. Li, J.-X. Chen, J.-P. Lang . . . 197

Reactions of the triosmium cluster $Os_3(\mu\text{-}H)(\mu\text{-}OH)(CO)_{10}$ with naphthols
M.W. Lum, W.K. Leong . . . 203

Special Issue: Palladium Chemistry in 2003: Recent Developments

Preface . . . 209

Heck reactions with various types of palladium complex catalysts: application of multiphase catalysis and supercritical carbon dioxide
B.M. Bhanage, S.-i. Fujita, M. Arai . . . 211

Accounts

Recent developments in the synthesis of heterocyclic derivatives by PdI_2-catalyzed oxidative carbonylation reactions
B. Gabriele, G. Salerno, M. Costa, G.P. Chiusoli . . . 219

Phospha-palladacycles and *N*-heterocyclic carbene palladium complexes: efficient catalysts for CC-coupling reactions
W.A. Herrmann, K. Öfele, D. v. Preysing, S.K. Schneider . . . 229

Palladium-catalyzed cross-coupling reactions and electrocyclizations—efficient combinations for new cascade reactions
A. de Meijere, M. Schelper, M. Knoke, B. Yucel, H.W. Sünnemann, R.P. Scheurich, L. Arve . . . 249

Reactivity control in palladium-catalyzed reactions: a personal account
P. Kočovský . . . 256

Catalytic activity of Pd(II) and Pd(II)/DAB-R systems for the Heck arylation of olefins
G.A. Grasa, R. Singh, E.D. Stevens, S.P. Nolan . . . 269

Palladium-catalyzed coupling reactions towards the synthesis of well-defined thiophene-oligomers
J. Hassan, C. Gozzi, E. Schulz, M. Lemaire . . . 280

Regular Papers

Palladium-catalyzed cross-coupling reaction of bis(pinacolato)diboron with vinyl triflates β-substituted by a carbonyl group: efficient synthesis of β-boryl-α,β-unsaturated carbonyl compounds and their synthetic utility
T. Ishiyama, J. Takagi, A. Kamon, N. Miyaura . . . 284

Palladium-catalyzed pseudo-domino cyclizations: An easy entry toward polycondensed pyrrolidone derivatives
S. Lemaire, G. Prestat, G. Giambastiani, D. Madec, B. Pacini, G. Poli 291

Palladium-catalyzed coupling reactions of bromo-substituted phenylphosphine oxides: a facile route to functionalized arylphosphine ligands
L. Xu, J. Mo, C. Baillie, J. Xiao 301

Palladium-mediated intramolecular C–N bond formation involving allyl substituted pyridines. Application to a novel strategy for the synthesis of the skeleton of berberinium derivatives
J. Chengebroyen, M. Linke, M. Robitzer, C. Sirlin, M. Pfeffer 313

Palladium catalyzed thiol cross-coupling of cystein derivatives with aryl and alkenyl halides
X. Moreau, J.-M. Campagne 322

Efficient coupling of heteroaryl halides with arylboronic acids in the presence of a palladium–tetraphosphine catalyst
M. Feuerstein, H. Doucet, M. Santelli 327

The silicon effect on the regioselectivity of the Tsuji-Trost reaction. Experimental and theoretical approaches
V. Branchadell, M. Moreno-Mañas, R. Pleixats, S. Thorimbert, C. Commandeur, C. Boglio, M. Malacria 337

Synthesis of enantiopure B-nor-steroids by multiple Pd-catalyzed transformations
L.F. Tietze, J. Matthias Wiegand, C. Vock 346

Palladium-catalyzed benzylic-like nucleophilic substitution of benzofuran-, benzothiophene- and indole-based substrates by dimethyl malonate anion
G. Primault, J.-Y. Legros, J.-C. Fiaud 353

Structural and kinetic effects of chloride ions in the palladium-catalyzed allylic substitutions
T. Cantat, E. Génin, C. Giroud, G. Meyer, A. Jutand 365

trans-Bis-[(−)ephedrinate]-palladium^{II} complex: synthesis, molecular modeling and use as catalyst
S. Bouquillon, S. Humbel, U. Létinois-Halbes, F. Hénin, J. Muzart 377

Palladium-catalyzed Suzuki cross-coupling of aryl halides with aryl boronic acids in the presence of glucosamine-based phosphines
R. Kolodziuk, A. Penciu, M. Tollabi, E. Framery, C. Goux-Henry, A. Iourtchenko, D. Sinou 384

Further studies on palladium-catalyzed bismetallative cyclization of enynes in the presence of $Bu_3SnSiMe_3$
Y. Sato, N. Imakuni, T. Hirose, H. Wakamatsu, M. Mori 392

First Kumada reaction of alkyl chlorides using *N*-heterocyclic carbene/palladium catalyst systems
A.C. Frisch, F. Rataboul, A. Zapf, M. Beller 403

Allyl stannanes as electrophiles or nucleophiles in the palladium-catalyzed reactions with alkynes
B. Martín-Matute, E. Buñuel, M. Méndez, C. Nieto-Oberhuber, D.J. Cárdenas, A.M. Echavarren 410

Pd–Ag catalyzed selective dicoupling of α-trialkylsilyl α,ω-diynes; the first one-pot synthesis of dienediynes
U. Halbes-Létinois, P. Pale 420

Palladium-catalyzed carbonylative annulation of terminal alkynes: synthesis of coumarins and 2-quinolones
D.V. Kadnikov, R.C. Larock 425

Double carbonylation of aryl iodides with diethylamine catalyzed by dinuclear palladium complexes
N. Tsukada, Y. Ohba, Y. Inoue 436

Palladium-catalyzed intramolecular α-arylation of sulfoximines
C. Bolm, H. Okamura, M. Verrucci 444

Mechanistic study of palladium catalyzed S–S and Se–Se bonds addition to alkynes
V.P. Ananikov, M.A. Kabeshov, I.P. Beletskaya, G.G. Aleksandrov, I.L. Eremenko 451

Stereoselective synthesis of 1,3-dienylstannanes by palladium catalyzed cross-coupling reactions
M. Cai, H. Ye, H. Zhao, C. Song 462

New developments in the Pd-catalysed cyclisation-coupling reaction of alkene-containing carbonucleophiles with organic halides (and triflates). The first examples of asymmetric catalysis.
D. Bruyère, N. Monteiro, D. Bouyssi, G. Balme 466

A new catalytic method for the synthesis of selectively substituted biphenyls containing an oxoalkyl chain
M. Catellani, S. Deledda, B. Ganchegui, F. Hénin, E. Motti, J. Muzart 473

Three-component bimetallic (Pd/In) mediated cascade allylation of C=X functionality: Part 1. Scope and Class 1 examples with aldehydes and ketones
L.A.T. Cleghorn, I.R. Cooper, C.W.G. Fishwick, R. Grigg, W.S. MacLachlan, M. Rasparini, V. Sridharan 483

Ligand-free palladium catalysed Heck reaction of methyl 2-acetamido acrylate and aryl bromides as key step in the synthesis of enantiopure substituted phenylalanines
C.E. Willans, J.M.C.A. Mulders, J.G. de Vries, A.H.M. de Vries 494

Dramatic effect of homoallylic substitution on the rate of palladium-catalyzed diene cycloisomerization
L.A. Goj, G.A. Cisneros, W. Yang, R.A. Widenhoefer 498

New chiral diamide ligands containing redox-active hydroquinone groups. Synthesis and results in the palladium(II)-catalyzed 1,4-diacetoxylation of 1,3-dienes
R.C. Verboom, B.J. Plietker, J.-E. Bäckvall 508

Pd-catalyzed selective tandem arylation–alkylation of 1,1-dihalo-1-alkenes with aryl- and alkylzinc derivatives to produce α-alkyl-substituted styrene derivatives
J.-c. Shi, E.-i. Negishi 518

^{2}H-quadrupolar coupling-based analysis of stereochemical and regiochemical memory in the Pd-catalysed allylic alkylation of *iso*-cinnamyl type substrates employing the chiral monophosphine ligands 'MOP' and 'MAP'
L. Gouriou, G.C. Lloyd-Jones, Š. Vyskočil, P. Kočovský 525

Formation and structural characterization of novel polynuclear palladium selenolato complexes $[Pd_3Se(SePh)_3(PPh_3)_3]Cl$ and $[Pd_6Cl_2Se_4(SePh)_2(PPh_3)_6]$
M.S. Hannu-Kuure, K. Palda'n, R. Oilunkaniemi, R.S. Laitinen, M. Ahlgrén 538

Palladium complexes of phosphinamine ligands in the intramolecular asymmetric Heck reaction
D. Kiely, P.J. Guiry 545

Notes

Palladium-catalyzed reaction of aryl iodides with *tertiary* propargylic amides: Highly substituted allenes through a regioselective carbopalladation/β-NPd elimination reaction
A. Arcadi, S. Cacchi, G. Fabrizi, F. Marinelli, L.M. Parisi 562

Palladium-catalyzed novel addition–elimination reaction of alkenyltin reagents to norbornene
K. Fugami, Y. Hirunuma, T. Nishikata, D. Koyama, M. Kameyama, M. Kosugi 567

Triallyl(aryl)silanes serve as a convenient agent for silicon-based cross-coupling reaction of aryl halides
Y. Nakao, T. Oda, A. K. Sahoo, T. Hiyama 570

Author Index of Volume 687 575
Subject Index of Volume 687 577
Contents of Volume 687 587